

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Mixture
Product name	: BATTERY FLUID, SULPHURIC ACID, 37-41%
UFI	: 4J8M-D4VR-Q529-P6W3
Product code	: Battery Acid Pack (Sulfuric Acid)
Other means of identification	: Battery Fluid, Sulphuric Acid, Electrolyte, Battery Acid

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Use of the substance/mixture : Electrolyte for lead-acid Motorcycle batteries

##### 1.2.2. Uses advised against

Restrictions on use : Anything other than the above

#### 1.3. Details of the supplier of the safety data sheet

Only representative:

Europark Fichtenhain B 17  
47807 Krefeld  
Germany  
Telephone: +49 (0) 2151 82095 00  
E-mail: info@gs-yuasa.de

Supplier:

GS Yuasa Battery Europe Limited  
Unit 22 Rassau Industrial Estate  
Ebbw Vale, Gwent  
Telephone: +44 (0) 1495 350121  
E-mail: tech.info@gs-yuasa.uk

#### 1.4. Emergency telephone number

Emergency number : United Kingdom  
GS Yuasa Battery Sales UK Ltd.  
Telephone: (+44) 01793-833-560  
E-mail: matthew.elwick@gs-yuasa.uk  
Language: English language only  
Monday - Friday 9:00am – 5:00pm (09:00 - 17:00)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Corr. 1A	H314
Eye Dam. 1	H318

Full text of hazard classes, H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

# BATTERY FLUID, SULPHURIC ACID, 37-41%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger  
Contains : sulphuric acid ... %  
Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.  
Precautionary statements (CLP) : P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTER or doctor.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
sulphuric acid ... %	CAS-No.: 7664-93-9 EC No.: 231-639-5 EC index No.: 016-020-00-8 REACH-no: 01-2119458838-20	37 – 41	Skin Corr. 1A, H314

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits
sulphuric acid ... %	CAS-No.: 7664-93-9 EC No.: 231-639-5 EC index No.: 016-020-00-8 REACH-no: 01-2119458838-20	( 5 $\leq$ C < 15) Eye Irrit. 2, H319 ( 5 $\leq$ C < 15) Skin Irrit. 2, H315 ( 15 $\leq$ C $\leq$ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

# BATTERY FLUID, SULPHURIC ACID, 37-41%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Those administering first aid treatment should wear suitable protective clothing to prevent exposure (See Section 8).
- First-aid measures after inhalation : If a battery ruptures, move to fresh air in case of accidental inhalation of mist. Remove person to fresh air and keep comfortable for breathing. If symptoms develop, obtain medical attention.
- First-aid measures after skin contact : Remove contaminated clothing immediately. Immediately call a POISON CENTRE or doctor/physician. Wash immediately with lots of water (15 minutes)/shower.
- First-aid measures after eye contact : Rinse immediately with plenty of water (for at least 15 minutes). Ensure that folded skin of eyelids is thoroughly washed with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Give 100 - 200 ml of water to drink. Immediately call a POISON CENTRE or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after inhalation : If a battery ruptures, may be harmful or fatal if inhaled in a confined area.
- Symptoms/effects after skin contact : Causes severe burns. Direct contact with internal components of a battery can be severely irritating to the skin and may result in redness, swelling, burns and severe skin damage.
- Symptoms/effects after eye contact : Causes serious eye damage. If a battery ruptures, direct contact with the liquid or exposure to vapours or mists may cause tearing, redness, swelling, corneal damage and irreversible eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Contact ophthalmologist immediately.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. If a battery ruptures, use dry chemical, soda ash, lime, sand or carbon dioxide.
- Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Battery may rupture due to pressure buildup when exposed to excessive heat and may be result in the release of corrosive materials. Sulfuric acid will not burn but can start fires with organic material, nitrates, carbides, chlorates, and metal powders.
- Explosion hazard : Fire/explosion hazard. Reacts violently with water. Reacts violently with oxidizing substances. Contact with metals could evolve flammable hydrogen gas. Solid. In contact with water, acids or moisture, evolves hydrogen, which may be ignited by the heat of the reaction. Spill over into sewers may generate hydrogen gas or sulfides.
- Hazardous decomposition products in case of fire : Sulphur oxides. Carbon oxides (CO, CO<sub>2</sub>).

#### 5.3. Advice for firefighters

- Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Avoid fire-fighting water entering the environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Protective equipment : Use personal protective equipment as required.

# BATTERY FLUID, SULPHURIC ACID, 37-41%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Emergency procedures : Ventilate area. Evacuate unnecessary personnel. Do not get in eyes, on skin, or on clothing.

### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and eye or face protection. Where excessive dust may result, wear approved mask. Do not get in eyes, on skin, or on clothing. Do not breathe dust.

Emergency procedures : Ventilate area. Do not get in eyes, on skin, or on clothing.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if large amounts of the product enters sewers or public waters. Do not allow contact with water.

## 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Small spills: collect all released material in a plastic lined metal container. Take up liquid spill into absorbent material or Neutralize with sodium bicarbonate. Large spills: Take up liquid spill into absorbent material, e.g.: sand/earth. Dispose in a safe manner in accordance with local/national regulations.

## 6.4. Reference to other sections

SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Avoid inhalation of vapours.  
Hygiene measures : Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Take precautionary measures against static discharge. Provide local exhaust or general room ventilation.

Storage conditions : Store in a dry, cool and well-ventilated place. Store away from direct sunlight or other heat sources.

Incompatible materials : Alkalis. Metals. combustible materials. Organic materials. Oxidising agents. Amines. Bases. Chlorates. Iron. Nitrates. perchlorates. Steel. zinc. Peroxides. Cyanides. nitromethane. Benzene.

### 7.3. Specific end use(s)

Electrolyte for lead-acid Motorcycle batteries.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

sulphuric acid ... % (7664-93-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Sulphuric acid (mist)
Regulatory reference	COMMISSION DIRECTIVE 2009/161/EU

# BATTERY FLUID, SULPHURIC ACID, 37-41%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

sulphuric acid ... % (7664-93-9)	
Ireland - Occupational Exposure Limits	
Local name	Sulphuric acid
OEL (8 hours ref) (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>
Remark	IOELV (Indicative Occupational Exposure Limit Values)
Regulatory reference	Chemical Agents Code of Practice 2021

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Emergency safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate ventilation to minimise dust concentrations.

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### 8.2.2.1. Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses. (EN 166)

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Impervious clothing. EN 13034. Large quantities: EN 14605. Corrosionproof suit

##### Hand protection:

Wear chemically resistant protective gloves according to EN 374-1. The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed. Gloves should be removed and replaced if there are any signs of degradation or breakthrough. Due to the practical application of the refractory products, it is advised to apply gloves according to EN 388 and EN 374-1.

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Wear a respirator conforming to EN140 with Type A/P2 filter or better

#### 8.2.2.4. Thermal hazards

##### Thermal hazard protection:

Not required for normal conditions of use.

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment. Do not allow to enter drains or water courses.

#### Other information:

Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures. Contaminated work clothing should not be allowed out of the workplace. Keep away from food, drink and animal feeding stuffs.

# BATTERY FLUID, SULPHURIC ACID, 37-41%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Transparent.
Appearance	: Clear. Liquid.
Odour	: penetrating. sharp. Pungent.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 95 – 95.555 °C
Flammability (solid, gas)	: Not available
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Soluble in water. Water: 100 %
Log Kow	: Not available
Vapour pressure	: 10 mm Hg
Vapour pressure at 50 °C	: Not available
Density	: 1.215 – 1.35 g/m <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20 °C	: > 1
Particle characteristics	: Not applicable

#### 9.2. Other information

##### 9.2.1. Information with regard to physical hazard classes

No additional information available

##### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : < 1

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under recommended handling and storage conditions (see section 7).

#### 10.2. Chemical stability

Stable under recommended handling and storage conditions (see section 7).

#### 10.3. Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4. Conditions to avoid

Overcharging. Remove all sources of ignition. If battery ruptures, avoid contact with organic materials and alkaline materials. mechanical impacts.

#### 10.5. Incompatible materials

Alkalis. Metals. Combustible materials. Organic materials. Oxidising agents. Amines. Bases. Chlorates. Iron. Nitrates. perchlorates. Permanganates. Phosphorus. Steel. zinc. Peroxides. Cyanides. Nitromethane. Benzene.

#### 10.6. Hazardous decomposition products

Sulphur oxides. Carbon oxides (CO, CO<sub>2</sub>).

# BATTERY FLUID, SULPHURIC ACID, 37-41%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

#### 11.2. Information on other hazards

##### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : No additional information available

##### 11.2.2. Other information

No additional information available

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

sulphuric acid ... % (7664-93-9)	
LC50 fish	16 – 28 mg/l - 96 Hours (Lepomis macrochirus)
EC50 Daphnia	> 100 mg/l - 48 Hours (Daphnia magna)
NOEC chronic fish	0.31 mg/l - 213 days (Salvelinus fontinalis)
NOEC chronic crustacea	0.15 mg/l - (Tanytarsus dissimilis)

#### 12.2. Persistence and degradability

sulphuric acid ... % (7664-93-9)	
Persistence and degradability	Not relevant for inorganic substances.

#### 12.3. Bioaccumulative potential

sulphuric acid ... % (7664-93-9)	
Bioaccumulative potential	Not relevant for inorganic substances.

#### 12.4. Mobility in soil

No additional information available

# BATTERY FLUID, SULPHURIC ACID, 37-41%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 12.5. Results of PBT and vPvB assessment

#### BATTERY FLUID, SULPHURIC ACID, 37-41%

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : No information available.

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment. Dispose in a safe manner in accordance with local/national regulations.  
European List of Waste (LoW) code : 16 06 01\* - lead batteries

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

### 14.1. UN number or ID number

UN-No. (ADR) : UN 2796  
UN-No. (IMDG) : UN 2796  
UN-No. (IATA) : UN 2796

### 14.2. UN proper shipping name

Proper Shipping Name : SULPHURIC ACID / BATTERY FLUID, ACID  
Proper Shipping Name (IMDG) : SULPHURIC ACID  
Proper Shipping Name (IATA) : Sulphuric acid  
Transport document description (ADR) : UN 2796 SULPHURIC ACID / BATTERY FLUID, ACID, 8, II, (E)  
Transport document description (IMDG) : UN 2796 SULPHURIC ACID, 8, II  
Transport document description (IATA) : UN 2796 Sulphuric acid, 8, II

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 8  
Hazard labels : 8



#### IMDG

Transport hazard class(es) (IMDG) : 8  
Danger labels (IMDG) : 8





# BATTERY FLUID, SULPHURIC ACID, 37-41%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### IATA

Transport hazard class(es) (IATA) : 8  
Danger labels (IATA) : 8



### 14.4. Packing group

Packing group : II  
Packing group (IMDG) : II  
Packing group (IATA) : II


### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : C1  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P001, IBC02  
Mixed packing provisions (ADR) : MP15  
Portable tank and bulk container instructions (ADR) : T8  
Portable tank and bulk container special provisions (ADR) : TP2  
Tank code (ADR) : L4BN  
Vehicle for tank carriage : AT  
Transport category (ADR) : 2  
Hazard identification number (Kemler No.) : 80  
Orange plates :



Tunnel restriction code (ADR) : E

#### Transport by sea

Limited quantities (IMDG) : 1 L  
Excepted quantities (IMDG) : E2  
Packing instructions (IMDG) : P001  
IBC packing instructions (IMDG) : IBC02  
IBC special provisions (IMDG) : B20  
Tank instructions (IMDG) : T8  
Tank special provisions (IMDG) : TP2  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : B  
Segregation (IMDG) : SGG1A, SG36, SG49  
Properties and observations (IMDG) : Colourless liquid, mixture not exceeding 1.405 relative density. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.  
MFAG-No : 157

#### Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y840  
PCA limited quantity max net quantity (IATA) : 0.5L  
PCA packing instructions (IATA) : 851  
PCA max net quantity (IATA) : 1L

# BATTERY FLUID, SULPHURIC ACID, 37-41%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

CAO packing instructions (IATA) : 855  
CAO max net quantity (IATA) : 30L  
ERG code (IATA) : 8L

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no REACH substances with Annex XVII restrictions

##### REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

##### REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

##### PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

##### Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

##### Explosives Precursors Regulation (2019/1148)

Contains substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

#### ANNEX I RESTRICTED EXPLOSIVES PRECURSORS

List of substances which shall not be made available to, or introduced, possessed or used by, members of the general public, whether on their own or in mixtures or substances that include those substances, unless the concentration is equal to or lower than the limit values set out in column 2, and for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Limit value	Upper limit value for licensing under Article 5(3)	Combined Nomenclature (CN) code for a separate chemically defined compound meeting the requirements of Note 1 to Chapter 28 or 29 of the CN, respectively	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Sulphuric acid	7664-93-9	15 % w/w	40 % w/w	ex 2807 00 00	ex 3824 99 96

Please see [https://ec.europa.eu/home-affairs/system/files/2021-11/list\\_of\\_competent\\_authorities\\_and\\_national\\_contact\\_points\\_en.pdf](https://ec.europa.eu/home-affairs/system/files/2021-11/list_of_competent_authorities_and_national_contact_points_en.pdf)

##### Drug Precursors Regulation (273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

# BATTERY FLUID, SULPHURIC ACID, 37-41%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Sulphuric acid		7664-93-9	2807 00 10	Category 3		Annex I

### 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
14.6	Transport information	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS-No.	Chemical Abstract Service number
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC No.	European Community number
EC50	Median effective concentration
ED	Endocrine disrupting properties
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
IOELV	Indicative Occupational Exposure Limit Value
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic

# BATTERY FLUID, SULPHURIC ACID, 37-41%

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
WGK	Water Hazard Class
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : Classification procedure according to Regulation (EC) No. 1272/2008 [CLP]: Physical hazards: On basis of test data. Health hazards: Calculation method. Environmental hazards: Calculation method.

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.